

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 14:43
S2	1	"20020156789"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 09:57
S3	0	((dataspace or (data adj space)) same (dataserver or (data adj server))) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/08 16:59
S4	414	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 20:39
S5	2	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216")) and ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 15:20
S6	17	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216") and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/09 20:59
S7	4	((dataspace or (data adj space)) same (dataserver or (data adj server))) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 20:41
S8	66	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/09 20:56
S9	280	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:21

S10	174	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")) and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 11:58
S11	7	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")) and ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216") and "707"/\$. ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/09 20:57
S12	47	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/09 20:59
S13	1	"20020156789"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 21:55
S14	31	(OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 21:59
S15	415	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:23
S16	5	(dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 21:58
S17	47	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 21:58
S18	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216")) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04

S19	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)).ab. and (@ad<"20010216")) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04
S20	5	((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04
S21	0	((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04
S22	0	((dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04
S23	0	((dataspace or (data adj space)) and (dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04
S24	2	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 or construct\$3) with object) and ((inflat\$3 or populat\$3) with (object or attribute))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:04

S25	0	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and (@ad<"20010216")) and ((instantiat\$3 with inflat\$3 with demand\$3) or (just with time with instantiat\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/28 22:05
S26	520	(OLAP or (on adj line adj analytic\$5 adj process\$3)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)) and (@ad<"20010216") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:21
S27	36	((OLAP or (on adj line adj analytic\$5 adj process\$3)) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object)) and (@ad<"20010216") and "707"/\$. ccls.) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:18
S28	15	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:22
S29	26	(dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:29

S30	41	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216")) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:30
S31	3	((OLAP or (on adj line adj analytic\$5 adj process\$3)) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216")) or ((dataspace or (data adj space) or dataserver or (data adj server)) and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with object) and ((instantiat\$3 or construct\$3 or creat\$3 or declar\$3) same (inflat\$3 or populat\$3 or initiali\$5) same (object or variable)) and (@ad<"20010216")) and XML	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 12:30
S32	25	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and XML and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/05/03 15:21
S33	74	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:30
S34	53	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 16:51
S35	505	((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) wiht (object or class)) and ((multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/06 14:55

S36	0	((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) with specified with (object or class)) and ((instantiat\$3 or creat\$3 or inflat\$3 or declar\$3) with (nonspecified or (non adj specified)) with (object or class)) and ((multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:40
S37	1473	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:39
S38	2	((((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same adaptiv\$7) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:36
S39	74	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object) same adaptiv\$7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:35
S40	396	(object near model\$3) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:33
S41	84	((((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:16
S42	26	(object near model\$3) and (((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:52
S43	5538	((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:55

S44	1222	(object near model\$3) and (((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:58
S45	78	(object near model\$3) and (((instantiat\$5 or inflat\$3 or declar\$3 or creat\$3) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 10:58
S46	26	(((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5) with object\$2 with (specif\$9 or request\$3)) same (demand\$3 or needed)) and (@ad<"20010216") and "707"/\$. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:26
S47	1304	((instantiat\$3 or inflat\$3 or creat\$3 or declar\$3) with (specif\$9 or request\$3) with (object or class)) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:26
S48	280	(instantiat\$3 with (specif\$9 or request\$3) with object) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:50
S49	39	((instantiat\$3 with (specif\$9 or request\$3) with object) same (demand\$3 or need\$3)) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:38

S50	173	((instantiat\$3 or inflat\$3 or creat\$3 or declar\$3) with (specif\$9 or request\$3) with object) same database) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:51
S51	34	((instantiat\$3 with (specif\$9 or request\$3) with object) same database) and ((object near model\$3) or (multidimension\$3 with database\$2) or OLAP or (multi adj dimension\$3 adj database\$2) or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/01/07 17:51
S52	53	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 14:45
S53	48	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<"20010216") and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with (object or data))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 16:56
S54	16	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. and (@ad<"20010216") and ((cube or dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) with (object or data)) and ((instantiat\$5 or creat\$3 or inflat\$3 or populat\$3) with object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 19:23
S55	193	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) same adaptiv\$7) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:21

S56	150	((adaptiv\$7 or (two adj stage) or (on adj demand\$3)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 17:02
S57	129	((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))). ab. and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 19:12
S58	0	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with "when" with (database or olap or model) with access\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:22
S59	360	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 14:05
S60	99	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (limit\$3 or request\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:23
S61	42	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (database or olap or model) with access\$3) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (limited or requested) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:24
S62	0	(adaptive with instantiat\$5 with inflation) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 18:40

S63	168	((OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. or ((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))). ab.) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 19:15
S64	48	((OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)).ab. or ((dimension\$5 or multidimension\$5 or (multi adj dimension\$5)) near3 (database or dataspace or (data adj space))). ab.) and (@ad<"20010216") and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 19:15
S65	76	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)) and (@ad<"20010216") and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and ("707"/\$.ccls. or "705"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/27 20:04
S66	9	(OLAP or (on adj line adj analytic\$5 adj process\$3) or (online adj analy\$9 adj process\$3)) and (@ad<"20010216") and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with (demand\$3 or request\$3 or adaptive or partial or (two near3 stage))) and ("707"/\$.ccls. or "705"/\$.ccls. or "717"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 10:02
S67	9	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with (specified or certain) with object with (database or olap or model) with access\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 14:31

S68	291	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 14:32
S69	291	((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 14:51
S70	93	((access\$3 or search\$3 or quer\$5) with database) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object) and ((instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3) with object with demand\$3) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/10/28 15:52
S71	1	"20020156789" and (view with data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 14:18
S72	1	"20020156789" and (dataspace)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 14:18
S74	412	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 11:29
S75	85	S74 and (cube hypercube) and dimension\$5 and view and subset	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 15:24
S76	29	S75 and (dataspace (data near3 space))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 15:27
S77	605	((adaptiv\$7 or (two adj stage)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 17:49
S78	487	(adaptiv\$7 with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 13:48

S79	0	((combin\$3 intergrat\$3) with full with (ondemand (on adj demand)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 17:52
S80	0	((combin\$3 intergrat\$3 modif\$5) with full with (ondemand (on adj demand)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with object) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/18 17:52
S81	8	(OLAP or (on adj line adj analytic\$5 adj process\$3)) and (@ad<"20010216") and ((sav\$3 stor\$3) with cube with view\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 11:32
S82	11	((ondemand\$3 ("on" adj demand\$3) ("as" adj request\$3) ("when" adj3 request\$3)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with (data near2 object)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 13:56
S83	3	((ondemand\$3 ("on" adj demand\$3) ("as" adj request\$3) ("when" adj3 request\$3)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with object) same database) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 13:53
S84	12	((ondemand\$3 ("on" adj demand\$3) ("as" adj request\$3) ("when" adj3 request\$3) ("as" adj need\$3)) with (instantiat\$5 or inflat\$3 or declear\$3 or declar\$3 or initializ\$5 or creat\$3 or populat\$3 or generat\$3 or bind\$3) with (data near2 object)) and (@ad<"20010216")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/08/19 13:57